

OT - 931 E

Electromechanical Operating Table



 **FARAFAN**



- ◆ Lightweight user friendly remote control with detachable cable connection activates four positioning functions of the **OT-931E**.
- ◆ Input into the control box is reduced to 12 V DC for maximum safety, while the line input to the drive motors remains unreduced for optimum efficiency.
- ◆ A safety push button prevents accidental operation of the table.
- ◆ Height, trendelenburg, lateral tilt and back section movements can be controlled from the box.
- ◆ Cordless infra-red remote control is available as option.





OT - 931 E

Electromechanical Operating Table

Features:

- ◆ A genuine universal table which is flexible, sturdy, mobile and extremely easy to adjust.
- ◆ Electromechanical drives, thus no oil leakage.
- ◆ High quality electromechanical drives with very low maintenance requirements.
- ◆ Extremely low noise and high reliability.
- ◆ Fully stainless steel construction including table top frames, accessories rail, base cover and column telescopic covers.
- ◆ Table top is divided into 5 sections providing numerous articulation possibilities.
- ◆ Detachable head and detachable split leg sections provide further versatility.
- ◆ Integrated weight compensation by gas springs facilitates manual adjustment of the head and leg sections.
- ◆ Table top is x-ray translucent with slots for x-ray film cassette insertion, making radiography possible over the entire length of the table.
- ◆ Special antistatic and antibacterial material is used for pad covers.
- ◆ Pads are easily removable and totally sealed to facilitate cleaning.
- ◆ Optimally designed base provides ample toe space for the user, along with extreme stability.
- ◆ Four easy-glide, antistatic castors, two of which are swivelling, ensure mobility.
- ◆ Pedal operated central braking system secures the table in its place while in use.
- ◆ Designed, manufactured, and tested according to international standards, yet offered at a very attractive price.

- ◆ OT - 931E operating table has an elegant streamlined design and provides numerous positioning possibilities .
- ◆ Detachable head and leg sections increase the functionality of the table.





- ◆ Versatility of **OT - 931E** may be greatly enhanced by attachment of all kinds of accessories.
- ◆ Farafan is an ISO 9001: 2000 and ISO 13485: 2003 certified company. **OT - 931E** operating table has **CE** marking certification.

CE 1254



TECHNICAL SPECIFICATIONS:

ELECTROMECHANICAL ADJUSTMENTS:








HEIGHT	: 730-1130 mm
TRENDELENBURG	: 35°
REVERSE TRENDELENBURG	: 25°
LATERAL TILT	: $\pm 20^{\circ}$
BACK SECTION (UP)	: 70°
BACK SECTION (DOWN)	: -35°

MANUAL ADJUSTMENTS:

LEG SECTIONS (UP/DOWN)	: $+30^{\circ}/-75^{\circ}$
LEG SECTIONS (LATERAL)	: 90°
HEAD SECTION (UP/DOWN)	: $+50^{\circ}/-45^{\circ}$

OTHER SPECIFICATIONS:

OVERALL LENGTH	: 1995 mm
OVERALL WIDTH	: 510 mm
WEIGHT	: 200 kg



Farafan Eng. Co.

No. 8, E. Arghavan St., N. Motahari Ave.,
Darya Blvd., Saadat Abad
Tehran 19988, IRAN
Tel: +98-21-88696502, 88696531
Fax: +98-21-88696135
E-mail: business@farafan.com
Web site: www.farafan.com